


iREJU LIPO BODY

DFK
BIO
LAB+

EFFECTIVE
NEW
FORMULA
FOR
S-BODY
LINE



MAIN INGREDIENTS




Effective Lipolysis Accelerator

Phosphatidylcholine (PPC) 1,000mg
Sodium Deoxycholate Purity 99%

Sodium deoxycholate disrupts the membrane of fat cells, while phosphatidylcholine (PPC) penetrates and helps dissolve the released fat content.

L-carnitine, along with vitamins B2, B3, and B12, further accelerates fat metabolism.

L-carnitine enhances the breakdown of fat and supports the removal of dissolved fat from the body. Vitamins B2, B3, and B12 activate energy pathways involved in fat metabolism, helping promote the reduction of localized fat.



Accumulated fat cells




Penetrates into the fat layer



Dissolution process of fat cells



Accelerated process of fat cells dissolution



Natural excretion of atrophied fat cells

MAIN INGREDIENTS





Removing Wrinkles During Lipolysis process

Dipeptide Diaminobutyroyl Benzylamide (Syn-AKE)

Acetyl Hexapeptide-8, Nicotinoyl Tripeptide-1, Palmitoyl Pentapeptide-4, Palmitoyl Tetrapeptide-7

Dipeptide diaminobutyroyl benzylamide and acetyl hexapeptide-8 are peptide ingredients derived from plant-based amino acids. They are effective in reducing wrinkles and improving skin firmness. These peptides help minimize existing wrinkles and suppress the formation of new ones during the lipolysis process.

They are non-irritating and non-toxic, offering fast absorption with minimal risk of side effects.




Collagen & Elastin Regeneration during the Lipolysis

EGF, FGF, IGF (1,000PPM), SOD, TRX

Palmitoyl Pentapeptide-4, Palmitoyl Tetrapeptide-7


EGF (Epidermal Growth Factor), FGF (Fibroblast Growth Factor), and IGF (Insulin-like Growth Factor) accelerate the production of collagen- and elastin-producing cells in the skin. They also stimulate the formation of new structural components such as collagen, elastin, and hyaluronic acid. As a result, they help improve wrinkles and enhance skin elasticity by promoting a healthier skin environment.

The increased turnover of new cells helps clear accumulated impurities within the skin, leading to a noticeable brightening effect and overall complexion improvement.



APPLICATION SITE

For guidance only. May differ due to patient's anatomy or condition.



Upper Arm

Fat around the upper arm
(0.01-0.05mL or less)

Bra Line Back Lift

Correction of the bra line area
(0.05-0.1mL or less)

Love Handles, Waist

Fat around the waist
(0.05-0.2mL or less)

Abdomen

Fat around the abdomen
(0.05-0.2mL or less)

Hip

Correction of line under hip
(0.05-0.15mL or less)

HOW TO USE

1. Shake the vial to mix the deposited parts on the bottom.
2. Apply the recommended amount of product to desired area. The amount of product can be adjusted based on patient's condition.
3. Repeat the treatment 2-3 times with 15 days interval for better results.

Cautions:

1. Do not use for patients with soybean allergy.
2. After the treatment do not exercise, go to the sauna, drink alcohol, eat high-fat food.
3. Do not use for patients with atopic dermatitis, dermatitis, heart diseased, diabetes, cancer, stroke or arteriosclerosis. Do not use if there are individual allergic reaction to any of the components.
4. Use the product right after opening. Do not reuse.



#522 Dongkwang BizTower, 272 Sunhwagung-ro,
Namyangju-si, Gyeonggi-do, Republic of Korea
+82-2-6225-7988

Website: www.sbodyline.com

Email: dfkbio@dfkbio.com